

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	653	(list or many or multiple or plurality) near5 dhcp near5 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:49
L3	477	l2 and ((send\$3 or receiv\$3 or request\$3 or transmit \$4) near5 (IP NEAR2 address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:50
L4	251	l3 and ((compar\$3 or match\$4 or associat\$4) near5 (IP NEAR2 ADDRESS))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:51
L5	102	l4 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:51
L6	4	l5 and 709/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:52

L7	14	15 and 709/223.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:52
L8	12	15 and 709/224.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:52
L9	3	15 and 709/225.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:52
L10	8	15 and 709/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:52
L11	56	15 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:52
L12	18	15 and ((discard\$3 or delet\$3) near5 (IP NEAR2 ADDRESS))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:53
L13	7	112 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2011/04/01 14:53

S1	12	(creat\$3 near3 dhcp) and ((send\$3 or transmit\$4) adj request) and ((transmit\$4 or send\$3) adj frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:16
S2	10	S1 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:16
S3	4	"2002023160"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:19
S4	11	(prevent\$3 or stop\$3) near3 (mis\$us\$3 or illegitimat\$3) near3 IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:20
S5	1	S4 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:20
S6	1	fire\$wall and (IP adj address) and dhcp and switch and subscriber and request	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:23
S7	1249	fire\$wall and (IP adj address) and dhcp and switch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:24

S8	597	S7 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:24
S9	2	"20060155853"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:25
S10	0	S8 and (prevent\$3 near3 (use or using) near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:26
S11	37	S8 and (prevent\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:27
S12	21	S11 and compar\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:35
S13	12	S11 and (compar\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:35
S14	2	"02023160"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:44

S15	5409	garrett.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:44
S16	0	S15 near3 "J.W"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/09/10 13:45
S17	223	(plurality or multiple or list) adj DHCP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:21
S18	9445	(ask\$3 or request\$3) near3 (IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:22
S19	1620	S18 and (DHCP adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:23
S20	168	S19 and (compar\$3 near3 (ip adj address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:24
S21	2	"20060155853"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:26

S22	19	S20 and ((send\$3 or transmit\$4) adj frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:30
S23	14	S22 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:33
S24	9271	request\$3 near3 (IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:38
S25	1612	S24 and (DHCP adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:39
S26	990	S25 and ((send\$3 or transmit\$4 or reply\$3) near3 (frame or (ip adj address)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:40
S27	283	S26 and ((filter\$3 or match\$3 or compar\$3) near3 (ip adj address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:41
S28	178	S27 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:43

S29	94	S28 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:47
S30	49	S29 and filter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:49
S31	3	S30 and (filter near5 ((stor\$3 or sav\$3) near3 (mac or identification or ip)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:51
S32	3	S31 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 11:51
S33	4	S30 and S17	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:31
S34	4	S33 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 13:31
S35	3708	S24 and ((send\$3 or transmit\$4) near3 (frame or (IP adj address)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:51

S36	435	S35 and ((dis\$card\$3 or delet\$3 or reject\$3) near3 (frame or (IP adj address)))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:52
S37	130	S36 and ((IP adj address) near3 (difer\$3 or different))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:52
S38	90	S37 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:53
S39	24	((dis\$card\$3 or delet\$3 or reject\$3) near3 (frame or (IP adj address))) same ((IP adj address) near3 (difer\$3 or different))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:53
S40	10	S35 and S39	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:53
S41	6	S40 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/15 14:53
S42	1	attemp\$3 near3 illegitimat\$3 near3 IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:40

S43	181	(attempt\$3 or try\$3) near5 compar\$4 near5 threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:43
S44	154	(attempt\$3) near5 compar\$4 near5 threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:43
S45	256	(send\$3 or transmit\$3) near5 (warn\$4 or messag \$3) near3 (exceed or more or above) near3 threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:44
S46	0	S44 and S45	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:44
S47	58	S45 and (compar\$3 near3 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:45
S48	35	S47 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:45
S49	0	S48 and (ask\$3 or request\$3) near3 (IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:46

S50	4	S48 and (IP adj address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:46
S51	7	S48 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:48
S52	68	(send\$3 or transmit\$3) near5 (warn\$4) near5 (exceed) near5 threshold	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:52
S53	26	S52 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:52
S54	3	S53 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:52
S55	1	S53 and (IP adj address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:54
S56	1	S53 and IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 11:55

S57	4	((attemp\$3 or connect\$3) near3 (IP adj address)) and (compar\$3 near3 (attemp\$3 or connect\$3) near3 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:05
S58	2	S57 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:05
S59	23	((attemp\$3) near3 (IP adj address)) and (compar\$3 near3 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:07
S60	7	S59 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:07
S61	40	((send\$3 or transmit\$3) adj (warn\$4)) near5 ((exceed\$3) near5 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:20
S62	15	S61 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:21
S63	47	((send\$3 or transmit\$3) adj (warn\$4)) near5 ((exceed\$3 or more or above or bigger o gigher) near5 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:22

S64	18	S63 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:22
S65	3	S64 not S62	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:22
S66	47	S45 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:34
S67	0	S45 and "709"/220.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S68	0	S45 and "709"/222.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S69	5	S45 and "709"/223.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S70	4	S45 and "709"/224.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35

S71	6	S45 and "709"/225.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S72	1	S45 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S73	1	S45 and "709"/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S74	1	S45 and "709"/228.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S75	3	S45 and "709"/229.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S76	9460	(ask\$3 or request\$3) near3 (IP address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S77	1623	S76 and (DHCP adj server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35

S78	168	S77 and (compar\$3 near3 (ip adj address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:35
S79	78	S78 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S80	1	S78 and "709"/222.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S81	6	S78 and "709"/223.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S82	12	S78 and "709"/224.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S83	4	S78 and "709"/225.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S84	3	S78 and "709"/226.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36

S85	8	S78 and "709"/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S86	10	S78 and "709"/228.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S87	8	S78 and "709"/229.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:36
S88	4	nesz.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:39
S89	8627	johansson.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:39
S90	277	juhl.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:39
S91	8900	S88 or S89 or S90	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:43

S92	1	S91 and (compar\$3 near3 attemp\$3 near3 threshold).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 12:44
S93	297	(restrict\$3 or prevent\$3 or stop\$3) near3 (use or access\$3) near3 IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:25
S94	45	S93 AND (dhcp near2 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:26
S95	2	S94 and ((discard\$3 or reject or restrict\$3) near2 frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:27
S96	0	S95 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:27
S97	25	S94 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:27
S98	5	S97 and ((valid or trust\$3 or legit\$3) near3 (frame or source or IP))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/24 15:31

S99	131	"6269369"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 13:53
S100	0	"6269369".pn."	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 13:53
S101	2	"6269369".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 13:53
S102	2	"20050289470"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 13:54
S103	297	(restrict\$3 or prevent\$3 or stop\$3) near3 (use or access\$3) near3 IP	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
S104	45	S103 AND (dhcp near2 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
S105	25	S104 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50

S106	9	S105 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
S107	5	S105 and "709"/223.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
S108	2	S105 and "709"/224.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
S109	0	S105 and "709"/225.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
S110	0	S105 and "709"/226.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
S111	0	S105 and "709"/227.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:50
S112	1	S105 and "709"/228.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:51

S113	3	S105 and "726"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:51
S114	1	S105 and "713"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/03/25 14:51
S115	4	"2002023160"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:13
S116	2	"02023160"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:13
S117	9438	nesz.in. or johansson.in. or juhl.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:14
S118	12	S117 and (dhcp near2 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:14
S119	4	S118 and ((creat\$3 or generat\$3) near5 dhcp)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:15

S120	746	((creat\$3 or generat\$3) near5 dhcp)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:20
S121	623	S120 and (dhcp near2 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:20
S122	14	S121 and (switch near2 node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:20
S123	14	S122 and (dhcp near2 request\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:21
S124	4	S123 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:21
S125	6	S120 and (switch near3 filter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:36
S126	8	S120 and (switch near5 filter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:36

S127	1	S126 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:37
S128	358	((creat\$3 or generat\$3) near5 (dhcp near2 server))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:39
S129	47	S128 and ((transmit\$4 or send\$3 or forward\$3 or receiv\$3) near3 frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:41
S130	1	S129 and (compar\$3 near3 (IP near2 address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:42
S131	0	S130 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:42
S132	2	S129 and (compar\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:42
S133	0	S132 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:43

S134	19	S129 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:43
S135	264	compar\$4 near3 IP near3 (filter or switch or router)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:50
S136	10	S135 and ((delet\$4 or discard\$4) near3 frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:51
S137	5	S136 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:51
S138	0	S137 and dhcp	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:53
S139	1	"10531753"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 14:58
S140	2	"20080152224"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 15:44

S141	2	"20080273797"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 15:47
S142	1	"11712025"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 16:21
S143	3	"20020065919"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 19:03
S144	2592	(count\$3 or determin\$3) near3 number near3 attemp\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 19:06
S145	98	S144 and (attemp\$3 near3 exceed\$3 near3 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 19:06
S146	7	S145 and ((send\$3 or transmit\$4 or forward\$3 or receiv\$3 or generat\$3 or creat\$3) near3 (warninf or alert))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 19:07
S147	8	S145 and ((send\$3 or transmit\$4 or forward\$3 or receiv\$3 or generat\$3 or creat\$3) near3 (warning or alert))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 19:07

S148	7	S147 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 19:08
S149	76	(count\$3 or determin\$3) near3 IP near3 attempt\$3	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 19:10
S150	1	S149 and (attempt\$3 near3 exceed\$3 near3 threshold)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 19:10
S151	0	S150 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/21 19:10
S152	6614	((creat\$3 or generat\$3) near3 server) and filter and switch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 15:52
S153	109	S152 and ((stop\$3 or anti or prevent\$3) near3 spoof \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 15:53
S154	53	S153 and (request\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 15:53

S155	28	S154 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 15:53
S156	19	S155 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 15:53
S157	13196	((creat\$3 or generat\$3) near2 (servers or server)) and filter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 15:58
S158	140	S157 and ((stop\$3 or anti or prevent\$3) near3 spoof \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 15:59
S159	60	S158 and (request\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 15:59
S160	34	S159 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 15:59
S161	24	S160 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:01

S162	5	S161 not S156	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:02
S163	0	S155 and (switch near2 node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:06
S164	193	S152 and (switch near2 node)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:06
S165	4	S164 and ((stop\$3 or anti or prevent\$3) near3 spoof\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:07
S166	0	S165 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:07
S167	2062	((stop\$3 or anti or prevent\$3) near3 spoof\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:07
S168	95	S167 and (compar\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:08

S169	61	S168 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:08
S170	51	S169 and filter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:09
S171	38	S170 and switch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:09
S172	31	S171 and (request\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:11
S173	30	S172 and (server or servers)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:11
S174	19	S173 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:11
S175	38	S169 and (request\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:17

S176	19	S175 not S174	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:18
S177	11	S173 not S174	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 16:20
S178	1	(source near IP) near5 (subscriber near2 IP) near5 (differ\$5 or match\$4) near5 ((delet\$3 or discard\$3) near2 frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 17:21
S179	4	IP near5 (differ\$5 or match\$4) near5 ((delet\$3 or discard\$3) near2 frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 17:22
S180	53	(MAC or IP) near5 (differ\$5 or match\$4) near5 ((delet\$3 or discard\$3) near2 frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 17:22
S181	35	S180 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 17:24
S182	30	S181 and filter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 17:24

S183	24	S182 and switch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 17:24
S184	24	S183 and (request\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/30 17:24
S185	254	(creat\$3 or generat\$3) near3 DHCP near3 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 14:10
S186	2	"7418482".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 14:17
S187	1	"11865804"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 14:30
S188	123	S185 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 14:58
S189	1	S188 and (updat\$3 near3 filter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 14:58

S190	51	S188 and (switch)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:00
S191	5	S190 and filter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:00
S192	160	(creat\$3 or generat\$3) near2 DHCP near3 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:03
S193	73	S192 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:04
S194	16	S193 and filter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:04
S195	80	((creat\$3 or generat\$3) adj DHCP) near2 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:07
S196	35	S195 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:07

S197	24	S196 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:08
S198	17	S197 not S194	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:09
S199	3193	(creat\$3 or generat\$3) near3 list near3 server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:16
S200	671	S199 and ((switch near2 node) or router)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:16
S201	95	S200 and (request\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:17
S202	31	S201 and filter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:17
S203	15	S202 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:17

S204	13476	(creat\$3 or generat\$3) adj (servers or server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:19
S205	2908	S204 and ((switch near2 node) or router)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:19
S206	398	S205 and (request\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:19
S207	0	S206 and (updat\$3 near2 filter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:20
S208	0	S206 and (updat\$3 near3 filter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:20
S209	131	S206 and filter	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:20
S210	88	S209 and ((subscriber or client or user or destination or source) near2 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:21

S211	43	S210 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:21
S212	26	S211 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 15:22
S213	8079	subscriber and (service near2 provider) and filter and switch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 16:06
S214	819	S213 and (request\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 16:06
S215	72	S214 and ((stop\$3 or anti or prevent\$3) near3 spoof \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 16:07
S216	38	S215 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 16:07
S217	21	S216 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 16:07

S218	17	S216 not S217	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 16:10
S219	3226	subscriber and (internet near3 service near3 provider) and filter and switch	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 16:34
S220	66	S219 and ((stop\$3 or anti or prevent\$3) near3 spoof \$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 16:34
S221	40	S220 and (request\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 16:35
S222	32	S221 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 16:35
S223	25	S222 and frame	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/12/31 16:35
S224	61131	((list or plurality or many) near2 servers)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/04 14:50

S225	3819	S224 and (request\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/04 14:51
S226	301	S225 and ((compar\$3 or analy\$4) near3 (IP NEAR2 ADDRESS))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/04 14:52
S227	46	S226 and ((send\$3 or transmit\$3 or forward\$3 or receiv\$3) near3 frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/04 14:52
S228	1	S227 and ((stor\$3 or sav\$3) near3 (ID or IP or identif\$5) near3 filter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/04 14:54
S229	4	S227 and ((stor\$3 or sav\$3) near3 filter)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/04 14:54
S230	5	S226 and ((discard\$3 or delet\$3) near3 frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/04 15:02
S231	61199	((list or plurality or many) near2 servers)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 14:34

S232	3822	S231 and (request\$3 near3 IP)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 14:34
S233	301	S232 and ((compar\$3 or analy\$4) near3 (IP NEAR2 ADDRESS))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 14:34
S234	5	S233 and ((discard\$3 or delet\$3) near3 frame)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 14:34
S235	4	S234 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 14:36
S236	2	"7533255".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 14:44
S237	2	"6754716".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 14:47
S238	2	"6580721".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 14:53

S239	2	"6542167".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 14:53
S240	2	"6529950".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 15:02
S241	2	"6170061".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 15:16
S242	2	"6393484".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/01/05 15:17
S243	1	"10531753"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/31 13:38
S244	1	"10531753"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/08/31 14:49
S245	9852	nesz.in. or johansson.in. or juhl.in.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 16:53

S246	3	S245 and (dhcp near3 server).clm.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 16:54
S247	10082	(router or switch or node) and DHCP and (IP near2 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 16:57
S248	885	S247 and (spoof\$3 or phish\$3 or troll\$3)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 16:57
S249	179	S248 and ((compar\$3 or match\$3) near3 (IP near2 address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 16:58
S250	76	S249 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 16:58
S251	31	S250 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 16:58
S252	3126	S247 and (request\$3 near3 (IP NEAR3 ADDRESS))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 17:08

S253	668	S252 and ((compar\$3 or match\$3) near3 (IP near2 address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 17:08
S254	300	S253 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 17:09
S255	165	S254 and ((filter or table) near3 (IP near2 address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 17:09
S256	85	S255 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 17:10
S257	37	S256 and (DHCP near3 request)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 17:10
S258	69	S255 and (DHCP near3 request)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 17:59
S259	54	S258 and (source near2 address) and (destination near3 address)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 17:59

S260	30	S259 and "709"/\$.cls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 18:00
S261	0	S260 not S257	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 18:00
S262	9	"1320070".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 18:17
S263	2	"7320070".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 18:17
S264	182	((dis\$card\$3 or delet\$3 or eras\$3) near3 (frame or packet)) same ((source or destination or assigned) near3 (IP near2 address) near3 (different or differ or match))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 18:23
S265	122	S264 and (request\$3 near3 (IP NEAR3 ADDRESS))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 18:23
S266	121	S265 and ((compar\$3 or match\$3) near3 (IP near2 address))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 18:23

S267	66	S266 and (DHCP near3 request)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 18:24
S268	16	S267 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/02 18:24
S271	1	"10531753"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/03 16:55
S272	1020	assign\$3 near3 (IP near2 address) near3 static\$4	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/03 17:08
S273	430	assign\$3 near3 (IP near2 address) near3 statically	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/03 17:08
S274	257	S273 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/03 17:08
S275	75	S274 and "709"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/03 17:08

S276	45	S275 and (dhcp near3 server)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/03 17:09
S277	39	S274 and "709"/223,224,225,226,227,228,229.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/03 18:10
S278	39	S277 and (@ad<"20021106" or @rlad<"20021106")	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/09/03 18:11

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S269	2468	nesz.in. or johansson.in. or juhl.in.	USPAT; UPAD	ADJ	ON	2010/09/02 16:54
S270	0	S269 and (dhcp near3 server).clm.	USPAT; UPAD	ADJ	ON	2010/09/02 16:54

4/ 1/ 2011 3:47:06 PM

C:\Documents and Settings\staha\My Documents\EAST\Workspaces\10531753.wsp